



## Sports Field Artificial Grass Drainage Underlay Eco Friendly Synthetic Grass Underlay

Our Product Introduction

### Basic Information

- Place of Origin: CHINA
- Brand Name: TAIHUI
- Certification: LABOSPORT/SGS
- Model Number: TR2503Y/2507G
- Minimum Order Quantity: ACCORDING TO THE DEMAND FROM THE CUSTOMER
- Price: By negotiation
- Packaging Details: 1 ROLL PACKED IN RECYCLABLE PE BAG
- Delivery Time: One week after received the deposit
- Payment Terms: L/C, T/T
- Supply Ability: 500,000 sqms per month



### Product Specification

- Product Name: Artificial Grass Shock Underlay Shock Absorber Performance Drainage Underlay For Synthetic Grass Sports Field
- Material: Environment Friendly PU Rubber
- Structure: Laminated Layers
- Application: Artificial Grass Sports Field
- Color: At Your Option
- Eco-friendly: Food-grade (EU Standard)
- Highlight: Sports Field Artificial Grass Drainage Underlay , SGS Artificial Grass Drainage Underlay , Eco Friendly Synthetic Grass Underlay



### More Images



for more products please visit us on [shockpadunderlay.com](http://shockpadunderlay.com)

## Product Description

### Artificial Grass Shock Underlay Shock Absorber Performance Drainage Underlay for Synthetic Grass Sports Field

#### Applications

Artificial turf Sports	soccer, rugby, hockey, badminton, golf greens, golf mats,
Pitch Indoor&Outdoor	children safety system, tennis and sports recreation area .

#### Competitive Advantage:

##### Cost

Our shock pad can be installed directly on the water stabilized base, and then covered by artificial turf, which helps to save the cost of concrete or asphalt base.

Part of the Artificial turf performance is provided by the shock pad, so the artificial turf grades can be appropriately traded down to only wear-resisting and UV resistant artificial turf.

Artificial grass pile height 40 mm filled with quartz sand and granules, whose overall cost is lower than the traditional grass pile 50mm without any infill.

##### Performance

Our product is light in weight and easy to install which shorten the installation period and reduce the cost.

Product has excellent shock absorption and ball rebound performance, bring happiness to the sports and avoid injury, which can be close to the natural grass feeling at the most.

Roll length can be customized according to the pitch

No pulverize or rot, long life span

Closed-cell foam product does not absorb water, which makes the installation easy and not influenced by the weather.

Heavy-duty machine has no problem to move on its flat surface.

Special porous design ensures the good water permeability, so there is no water on the artificial grass, and activities can be proceeded in the rainy days.

Elegant appearance and strong sense of comfort.

Three layers' design to maximize shock absorption and minimize vertical deformation

#### OUR ADVANTAGES

Installation of our shock-pad system is more convenient as the material is lightweight and easy to handle.
Roll lengths can be manufactured to client's requirements to ensure no wastage.
The closed-cell Foam does not absorb water; therefore inclement weather does not hinder the laying of pad.
Perfect cutting technology ensures good water permeability and the stability.
Excellent 'shock absorption' and 'ball rebound' characteristics.
The surface has an prolonged life span and is not prone to deterioration.
Good weathering resistance.
Stable shock absorption.
No need of maintenance during daily use.
Good environmental performance and recycling value.
Flame retardant.

#### Installation on Site







We manufacture shock pad underlay and rubber granule infill to support artificial turf pitch for sports and landscaping. Trust we will support you by excellent quality and friendly price. Our products will make your artificial turf pitch fantastic! [www.taihuisports.com](http://www.taihuisports.com)

Welcome for any inquiry.



**CHANGZHOU TAIHUI SPORTS MATERIAL CO.,LTD**



13915088459



[grace@taihuisports.com](mailto:grace@taihuisports.com)



[shockpadunderlay.com](http://shockpadunderlay.com)

Building 3A-602, R&D Hub, Science&education Tower,Wujin District, China.