

Foam Shock Pad Underlay For Artificial Grass with Excellent Shock Absorption and Ball Rebound Performance

Basic Information

Place of Origin: CHINABrand Name: TAIHUI

Certification: LABOSPORT/SGS
Model Number: T2504B/2506K

• Minimum Order Quantity: ACCORDING TO THE DEMAND FROM

THE CUSTOMER

Price: By negotiation

Packaging Details: One roll Packed in recyclable PE bag
Delivery Time: 10 days after received the deposit

Payment Terms: L/C, T/T

• Supply Ability: 300,000 sqms per month



Product Specification

Product Name: Foam Shock Pad Underlay For Artificial

Grass With Excellent Shock Absorption And

Ball Rebound Performance

• Sports: Soccer, Golf, Rugby, Hockey, Playground

• Thickness: 8mm-20mm

• Length: Tailored Length For The Field Dimension

Density: 30, 50, 70 Kg/m3Service Life: More Than 20 Years

Highlight: PE Foam grass shock pad underlay,

Waterproof grass shock pad underlay, Lightweight artificial grass shock underlay



More Images



Product Description

Foam Shock Pad Underlay For Artificial Grass with Excellent Shock Absorption and Ball Rebound Performance

Why artificial turf systems need to adopt shock-absorbing pad?

- The shock pad helps the artificial turf system provide superior resilience and impact resistance to reduce the injury which makes the artificial turf system comparable to the natural grass.
- With shock pad underneath, the resilience and impact resistance of the artificial system can be maintained for long service life.

Product Specifications

Name	Model	Density	Structure	Thickness	Package	Warranty year
Shock pad	T3004B/3006K	30kg/m3	3 layers	8-30mm	1.5m fixed width, one roll in PE bag is one package	20 years
	T2504B/2506K	50kg/m3	3 layers			
	T2004B/2006K	70kg/m3	3 layers			
	T3010G	30kg/m3	1layer			
	T2510G	50kg/m3	1layer			
	T2010G	70kg/m3	1layer			

* Color Thickness and roll length can all be customized according to the demand of customers

Test Certifications



Test Content	Tested by		
Performance Test	LABOSPORT		
Compression Depression Test			
UV Test	Pale		
Permeability Test			
Environmental Test	SGS		

Scope of Application



Our Workshop



Some References





CHANGZHOU TAIHUI SPORTS MATERIAL CO.,LTD

13915088459 grace@taihuisports.com



e shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower, Wujin District, China.