

Artificial Grass Shockpads Water Drainage Shock Pad Underlay Hockey Baseball Soccer

Basic Information

Place of Origin: CHINABrand Name: TAIHUI

Certification: LABOSPORT/SGSModel Number: T3004B/3006K

• Minimum Order Quantity: ACCORDING TO THE DEMAND FROM

THE CUSTOMER

• Price: By negotiation

Packaging Details: One roll Packed in recyclable PE bag
 Delivery Time: 10 days after received the deposit

Payment Terms: L/C, T/T

• Supply Ability: 300,000 sqms per month



Product Specification

Product Name: Artificial Turf Shock Pad Shock Absorbing

Pad And Rebound Performance SHOCK

PAD For Artificial Grass System

• Sports: Soccer, Playground

• Thickness: 8.0mm/10.0mm/12.0mm/15.0mm/20.0mm

Size: 1.5m*50m In RollColor: Can Be Customized

Highlight: Wear Resisting Shock Pad Underlay,

Recyclable Shock Pad Underlay,

Baseball 10mm shock pad for artificial grass



More Images



Artificial Grass Shockpads Water Drainage Shock Pad Underlay Hockey Baseball Soccer

Why artificial turf systems need to adopt shock-absorbing pad?

The shock pad helps the artificial turf system provide superior resilience and impact resistance to reduce the injury which makes the artificial turf system comparable to the natural grass.

2

With shock pad underneath, the resilience and impact resistance of the artificial system can be maintained for long service life.

| Our shock pad enjoys advantages as below: | | | | |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------|--|--|--|
| Function | Reduce the overall cost of the artificial grass system, enhance the performance, extend the life span of the system | | | |
| Structure | Made of three layers with film on the backing to enhance the tensile strength and UV. | | | |
| Material | Environmentally friendly resin, no odor. | | | |
| Appearance | Black and blue or customized color | | | |
| Character | Light in weight, closed celled without absorb water. | | | |
| Spec | Selectable density and thickness suit for all pitch standard. | | | |
| Installation | Easy and good-looking installation. | | | |
| Test report | Labosport & SGS& Sportslabs | | | |

Product Specifications

| Name | Model | Density | Structure | Thickness | Package | Warranty year |
|--------------|--------------|---------|-----------|-----------|-----------------------------------------------------------------|------------------|
| Shock pad | T3004B/3006K | 30kg/m3 | 3 layers | 8-30mm | 1.5m fixed width, one roll in PE bag is one package | 20 years |
| | T2504B/2506K | 50kg/m3 | 3 layers | | | |
| | T2004B/2006K | 70kg/m3 | 3 layers | | | |
| | T3010G | 30kg/m3 | 1layer | | | |
| | T2510G | 50kg/m3 | 1layer | | | |
| | T2010G | 70kg/m3 | 1layer | | | |

* Color Thickness and roll length can all be customized according to the demand of customers

| Comparison between FOAM shock pad and IN-SITU shock pad | | | | | |
|---------------------------------------------------------|----------------|-------------------|--|--|--|
| | FOAM SHOCK PAD | IN-SITU SHOCK PAD | | | |
| PRICE | CHEAP | HIGH | | | |
| INSTALLATION COST | CHEAP | HIGH | | | |
| INSTALLATION TIME | VERY FAST | LONGER | | | |
| THICKNESS | THIN | THICK | | | |
| WEIGHT | LIGHT | HEAVY | | | |
| FLATNESS | EVENLY | NOT EVENLY | | | |
| WATER PERMEABILITY | VERY FAST | SLOW | | | |
| RECYCLABLE | EASY | DIFFICULT | | | |
| ENVIRONMENTAL FRIENDLY | YES | NO | | | |

Scope of Application



Football



Baseball



Rugby







Hockey

Playground

Golf

Test Certifications







Why Should You Choose Us?

We offer outstanding products

High quality Installation guide Take care of the Strict inspection and reasonable and considerate whole process from on the production service

ordering, production, and make sure the transport, installation good quality of and after-sale service each batch

Professional quality control system, ensure each package with our best quality. Perfect production line, ensure delivery on time. Outstanding export teamwork, ensure thorough after-sale services. Well know about foreign market, "Create Happy Sports" is our aim. Your trust, we treasure.

Please Note

- Shock pad length is tailored based on the artificial grass pitch dimension or customers' special requests.
- Installation of the shock pad shall be in the same direction of the artificial grass
- For more optional details, please contact Changzhou
 Taihui sports Material Co.,Ltd
- Any details of the Shock pad and infill granule should subject to our final confirmation before ordering.

Project Display





Trust we will support you by excellent quality and friendly price. Our products will make your artificial turf pitch safe and fantastic!

Welcome for any inquiry!

CHANGZHOU TAIHUI SPORTS MATERIAL CO.,LTD





grace@taihuisports.com



shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower, Wujin District, China.