

PE Foam Shock Pad Underlay For Artificial Grass Sports Field

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: T/T or L/C
- Supply Ability:



Product Specification

- Product Name:
- Application:
- Color:
- Length:
- Tensile Strength (Horizontal):
- Package:
- Highlight:

Performance Shock Pad Soccer, Rugby, Hockey, Baseball,

300,000 sqms per month

Playground, Landscaping At Your Option

SGS/LABOSPORT/SPORTSLABS

ACCORDING TO THE DEMAND FROM

Each roll packed in recyclable PP bag

One week after received the deposit

Tailored For Pitch

>0.30

China

TAIHUI

T2510K

THE CUSTOMER

By Negotiation

Each Roll In PE Bag

PE Foam Shock Pad Underlay, 8mm Shock Pad Underlay, 30mm artificial grass foam underlay TAIHUI SPORTS WhatsApp:+86-13915088459

More Images



PE Foam Various Thickness Shock Absorbing Pad For Artificial Turf Good Water Permeability No Odor

Roll length can be customized according to the pitch to ensure no wastage Excellent shock absorption and ball rebound performance. No pulverize or rot, long life span. Closed-cell foam dose not absorb water, product installation is more even and not affected by the weather. Special grooved design ensures the good water permeability, activities can be	
Roll length can be customized according to the pitch to ensure no wastage Excellent shock absorption and ball rebound performance. No pulverize or rot, long life span. Closed-cell foam dose not absorb water, product installation is more even and not affected by the weather. Special grooved design ensures the good water permeability, activities can be proceeded in the rainy days.	Product Description
Excellent shock absorption and ball rebound performance. No pulverize or rot, long life span. Closed-cell foam dose not absorb water, product installation is more even and not affected by the weather. Special grooved design ensures the good water permeability, activities can be proceeded in the rainy days.	Our product is light in weight andconvenient to install.
No pulverize or rot, long life span. Closed-cell foam dose not absorb water, product installation is more even and not affected by the weather. Special grooved design ensures the good water permeability, activities can be proceeded in the rainy days.	Roll length can be customized according to the pitch to ensure no wastage
Closed-cell foam dose not absorb water, product installation is more even and not affected by the weather. Special grooved design ensures the good water permeability, activities can be proceeded in the rainy days.	Excellent shock absorption and ball rebound performance.
affected by the weather. Special grooved design ensures the good water permeability,activities can be proceeded in the rainy days.	No pulverize or rot, long life span.
proceeded in the rainy days.	Closed-cell foam dose not absorb water, product installation is more even and not affected by the weather.
Flame retardant	Special grooved design ensures the good water permeability, activities can be proceeded in the rainy days.
	Flame retardant

Product Specifications		
Item No.:	T3010G	
	8-30 mm	
Material:	New environmental friendly PE foam	
Density:	30 kg/m3	
Color:	Green or other colors	
Features:	closed cell foam, double-sided grooved structure	
Production size:	1.5m * 50m or tailored length	
Production time:	Normally within 3~20 days	
Package:	Recyclable PE bag	

Product Features:

1. The shock pad underlay is very easy to install because of light weight and easy handling. Only one day needed to finish a standard size football field.


2. Closed cell PE foam doesn't absorb water; Which makes the installation will not be affected by bad weather.

3. Since edges of our shockpad underlay are cut neatly, all the joints can be easily and accurately welded.

4. The unique design offers excellent water drainage and avoid swelling or shrinking and thus the dimension always remains stable.

- 5. Excellent shock absorption and ball rebound performance.
- 6. Not rot or pulverize and long usage life.
- 7. Heavy-duty machine is no problem to move on its flat surface.
- 8. Roll length can be tailored to the field size, which reduces waste and labor force to utmost.
- 9. Stable shock absorption keeps the system sports performance stable for a long time

Test Content	Tested by
Performance Test	
Compression Deformation Test	LABOSPORT
UV Test	
Permeability Test	SPORTS LABS
Environmental Test	SGS



Our Strength

1. Extensive production experience: we are specialized inshock pad and infill granules for artificial grass for over 10 years.

2. Stable quality and on-time delivery: With our factory, we can control the quality from raw material to each production process. What's more, we have some stock on the popular items, which means we can meet your urgent need and can ensure the delivery time.

3. Superior production equipment: we own precision machine controlled by computer system and other advanced equipment. Our technicians will do regular scheduled maintenance on these machines to ensure them work well.

4. Customized: The color, length and thickness can all be customized according to the demand of customers.

5. High quality raw material

6. After-sale service: With more than 3,000 pitches around the world, we have earned good reputation among our worldwide partners.

7. Our shock pad and infill certificate includes LABOSPORT, SPORTSLABS, SGS.

8. Easy to install and Short delivery time

9. Installation Support and Professional Consultant Teams

Welcome to visit www.taihuisports.com to know more of us! Trust we will support you by excellent quality and friendly price. Our products will make your artificial turf pitch fantastic!

Welcome for any inquiry!

CHANGZHOU TAIHUI SPORTS MATERIAL CO., LTD

C 13915088459 grace@taihuisports.com B shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower, Wujin District, China.