

Playground Artificial Grass Shock Pad Underlay 30 Density 10mm 12mm thickness

Basic Information

Place of Origin: ChinaBrand Name: TAIHUI

Certification: SGS/LABOSPORT/SPORTSLABS

Model Number: T3010G

Minimum Order Quantity: ACCORDING TO THE DEMAND FROM

THE CUSTOMER

• Price: By Negotiation

Packaging Details: Each roll packed in recyclable PP bag
Delivery Time: One week after received the deposit

Payment Terms: T/T or L/C

Supply Ability: 300,000 sqms per month





Product Specification

Product Name: Shock Pad Effectively Absorb Impact Force

Good Elasticity And Physical Properties, Increase The Lifespan Of The Turf System

• Application: Playground, Sports, Landscaping, Outdoor&

Gardens, Swimming Pool, Ect

Color: Can Be At Your Option

• Roll Size: 1.5m*50m Or According To Your Pitch

Thickness: 10mm/20mm/30mmPackage: Each Roll In PE Bag

• Highlight: Playground artificial grass shock pad underlay,

30 Density artificial grass shock pad underlay,

10mm artificial turf underlay



Product Description

Playground Turf Padding Artificial Turf System Underlay Safe Level Of Food With 30 Density

Why artificial turf systems need to adopt shock-absorbing pad?

- 1. The shock pad helps the artificial turf system provide superior resilience and impact resistance to reduce the injury which makes the artificial turf system comparable to the natural grass.
- 2. With shock pad underneath, the resilience and impact resistance of the artificial system can be maintained for long service life.

Athletes deserve the best playing surface available and when it comes to artificial turf sports fields you need to address three primary concerns: impact absorption, traction/stability, and dealing with the dangerously high temperatures found in the old turf systems. Join the movement and let's build a future of safe, high-performance sports fields!

Product Features

Layered compound proportion 4:6, to maximize shock absorption and minimize vertical deformation. With double-sided synchronous grooved technology, to enhance the water drainage in four directions while reducing the stress. Cutting grooves vertically and horizontally with holes to make sure water drainage in four directions, and installation more even.

The perfect combination of rubber and resin, as rubber has strong tensile properties, which can not easily be torn during the installation

Adopting a professional ratio of composite process, both to increase the impact of absorption, but also reduce the vertical deformation.

The backing film can enhance the breaking force and it is not easy to be damaged during theinstallation. It also has excellent UV-resistance and Odor-resistance.

| Product Specifications | |
|------------------------|--|
| Item No.: | T3010K |
| Thickness: | 8-30 mm |
| Material: | New environmental friendly PE foam |
| Density: | 30.50.70 kg/m3 |
| Color: | Blue or other colors |
| Features: | Closed cell foam, double-sided grooved structure |
| Size: | W1.5m *L 50m or tailored length |
| Production time: | Normally within 10 days |
| Package: | Recyclable PE bag |

Product Advantages

Our product is light in weight andconvenient to install.

Roll length can be customized according to the pitch to ensure no wastage

Excellent shock absorption and ball rebound performance.

No pulverize or rot, long life span.

Closed-cell foam dose not absorb water, product installation is more even and not affected by the weather.

Special grooved design ensures the good water permeability, activities can be proceeded in the rainy days.

Flame retardant

Scope of Application



Our Workshop









Project Display







Shock pad&TPE infill @TAIHUI SPORTS





Our Strength

- 1. Extensive production experience: we are specialized inshock pad and infill granules forartificial grass for over 10 years.
- 2. Stable quality and on-time delivery: with our workshop, we can control the quality from raw material to each production process. What's more, we have some stock on the popular items, which means we can meet your urgent need and can ensure the delivery time.
- 3. Superior production equipment: we own precision machine controlled by computer system and other advanced equipment. Our technicians will do regular scheduled maintenance on these machines to ensure them work well.
- 4. Customized: the color, length and thickness can all be customized according to the demand of customers.
- 5. High quality raw material.
- 6. After-sale service: with more than 3,000 pitches around the world, we have earned good reputation among our worldwide partners.
- 7. Our shock pad and infill certificate includes LABOSPORT, SPORTSLABS, SGS.
- 8. Easy to install and short delivery time.
- 9. Installation support and professional consultant teams.

Taihuisports manufacture shock pad underlay and rubber granule infill to support artificial turf pitch for sports and landscaping. Trust we will support you by excellent quality and friendly price. Our products will make your artificial turf pitch fantastic!

Welcome for any inquiry!



CHANGZHOU TAIHUI SPORTS MATERIAL CO.,LTD









shockpadunderlay.com