




30kg/m3 Playground Shock Pad UV Resistant 3 Layer Lawn Safety Layer Drainage Layer

Our Product Introduction

for more products please visit us on shockpadunderlay.com


Basic Information

- Place of Origin: CHINA
- Brand Name: TAIHUI
- Certification: SGS/LABOSPORT/SPORTLABS
- Model Number: T3004B/3006K
- Minimum Order Quantity: ACCORDING TO THE DEMAND FROM THE CUSTOMER
- Price: By negotiation
- Packaging Details: One roll Packed in recyclable PE bag
- Delivery Time: 10 days after received the deposit
- Payment Terms: T/T
- Supply Ability: 500,000 sqms per month



Product Specification

- Product Name: Playground Shock Pad
- Sports: Multi-purpose And All Sports
- Material: Closed Celled PE Foam New Material
- Size: Tailored Length For The Field Dimension
- Structure: Laminated Layers
- Color: Various
- Cost: Highest Costing Performance.
- Drainage: >20,000mm/h
- Durability: High
- Installation: Easy
- Maintenance: Low
- Package: Each Roll In PE Bag
- Service Life: More Than 20 Years
- Suitable For: Indoor Outdoor Use
- Thickness: 20mm/30mm/40mm/50mm



More Images



Product Description

Foam Shock Pad Underlay for Playground UV Resistant 3-Layer Lawn Safety Layer Drainage Layer

Why artificial turf systems need to adopt shock-absorbing pad?

1. The shock pad helps the artificial turf system provide superior resilience and impact resistance to reduce the injury which makes the artificial turf system comparable to the natural grass.
2. With shock pad underneath, the resilience and impact resistance of the artificial system can be maintained for long service life.

Athletes deserve the best playing surface available and when it comes to artificial turf sports fields you need to address three primary concerns: impact absorption, traction/stability, and dealing with the dangerously high temperatures found in the old turf systems. Join the movement and let's build a future of safe, high-performance sports fields!

Product Specifications

Item No.:	T3004B/3006K
Thickness:	8-30 mm
Material:	New environmental friendly PE foam
Density:	30kg/m3
Color:	Black and blue or other colors
Features:	Closed cell foam, 3-layer Laminated
Production size:	Wide 1.5m length as per installation request
Production time:	Normally within 3~20 days
Package:	Recyclable PE bag

Product Description

Our product is light in weight and easy to install.

Roll length can be customized according to the pitch to ensure no wastage

Excellent shock absorption and ball rebound performance.

No pulverize or rot, long lifespan.

Closed-cell foam dose not absorb water, product installation is more even and not affected by the weather.

Special grooved design ensures the good water permeability, activities can be proceeded In the rainy days.

Flame retardant

Product Advantages

Increases available time of use
Improves performance and safety
Non-toxic, odorless and environmentally-friendly.
Improve the water permeability, will not affect the performance after rainfall.
High performance quality
Consistent performance over time and use
Our shock pad can be installed directly on the water stabilized base, and then covered by artificial turf, which helps to save the cost of concrete or asphalt base.
Light in weight, one site can be installed in one day.
Elegant appearance and strong sense of comfort

Test Certifications





Scope of Application



Our Workshop



Project Display



Our Strength

Extensive production experience: we are specialized in shock pad and infill granules for artificial grass for over 10 years.

2. Stable quality and on-time delivery: With our factory, we can control the quality from raw material to each production process. What's more, we have some stock on the popular items, which means we can meet your urgent need and can ensure the delivery time.

3. Superior production equipment: we own precision machine controlled by computer system and other advanced equipment. Our technicians will do regular scheduled maintenance on these machines to ensure them work well.

4. Rigorous testing procedures: To meet the requirements of the product design and process, we provide reliable testing data including SGS, SPORTSLABS and LABOSPORT

5. Customized: The color, length and thickness can all be customized according to the demand of customers.

6. High quality raw material

7. After-sale service: With more than 3,000 pitches around the world, we have earned good reputation among our worldwide partners.

8. Our shock pad and infill certificate includes LABOSPORT, SPORTSLABS, SGS.

9. Easy to install and Short delivery time

10. Installation Support and Professional Consultant Teams

Trust we will support you by excellent quality and friendly price. Our products will make your artificial turf pitch fantastic!

Welcome for any inquiry.





13915088459



grace@taihuisports.com



shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower,Wujin District, China.