

Foam Shock Absorption Pad for Artificial Grass Underlay EN15530-4 /FIFA 2024

Basic Information

- Place of Origin:
- Brand Name: TAIHUI

CHINA

LABOSPORT/SGS

THE CUSTOMER

ACCORDING TO THE DEMAND FROM

One week after received the deposit

1 ROLL PACKED IN RECYCLABLE PE BAG

T3004B/3006K

By negotiation

L/C, T/T

- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

TAIHUI SPORTS AlhatsApp:+86-13915088459

Product Specification

- Product Name:
- Material:
- Application:
- Color:
- Vertical Deformation:
- Eco-friendly:
- Highlight:
- Foam Shock Absorption Pad For Artificial Grass Underlay EN15530-4 /FIFA 2024 Environment Friendly PE Foam

300,000 sqms per month

- Indoor Outdoor SPORTS
 - At Your Option
 - 4-7mm
- Food-grade (EU Standard)
- 8mm Shock Pad Underlay, 4mm Shock Pad Underlay, PE foam shock pad

TAIHUL SPORTS WhatsApp:+86-13915088459

More Images



Foam Shock Absorption Pad for Artificial Grass Underlay EN15530-4 /FIFA 2024

Warranty Model Name Density Structure Thickness Package year 30kg/m3 3 layers T3004B/3006K T2504B/2506K 50kg/m3 3 layers 1.5m fixed T2004B/2006K width, one roll in PE 70kg/m3 3 layers Shock 8-30mm 20 years pad T3010G 30kg/m3 1layer bag is one T2510G 50kg/m3 1layer package T2010G 70kg/m3 1layer


Product Specifications

* Color Thickness and roll length can all be customized according to the demand of customers

Test Certifications

	SGS	LABOSPORT
www.apertidda.co.uk		
LABORATORY PERFORMANCE REPORT	展示局部局部構成110回20-0 展示局部局部構成110回20-0 目前	
In accordance with		技术报告
	(1) 物质之序基准会中由参判的供示地法:#私用目	
CEN/TC 217/WG 11 N 118	955.17/W-9 : 9P18421411-5H	减震势的性能测试
Horizontal Drainage of Elastic Lawers (working draft method)*	ドルにという。 2010年1月2日日 取べため、 2010年1月2日日 取べため、 2010年1月2日日 日本中の1月2日日	
EN 12616: 2013 - Surfaces for Sports Areas - Determination of	HATER HERE HERE	
Water Infiltration Rate	第353年: 前参考下一位 第458年: 前参考下一位	
	BARTER.	
Sample Reference Shockpad Sample	8484	
	8475.7886 81	E 107. HEPOTY CEV 001741 (b) failed tests on shodpast CN
Report Fumber 38125/5157		1
Insue Date 30/64/2017		^{化产} 使用最新考量新创料有限会司
Client Changathee Taihui Sports Haterial Co., Ltd Re. 8, Gaurgalies Read, Whijin New District Changathee Jannee	BANKER (24) - 500 (0.06. 20(96/2017
CHIDMA	8584	
1000	(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(本版的共5元。
1. No construction property is family one before with all constructions of the contract with the contr	Shire Ship	- FR
the Cherr and an Exclusion of the supercontent is a The same a sufficient is the Cherr of Lane, and a Cherr or and the supercontext is the cherr of the supercontext is the super	Eda.	和中部会议员, 古时本地为不得处了的会议法,
	Jamy Yanitik Bridger	and the second second second second
8 No report start or to requesting a contrast of page-in when apart by the follow works: their extension for equilabelian "Float".		
 Not all tools cannot act on order act stage of 100 (102) have below. 	INCOMPANYA AND AND AND AND AND AND AND AND	
Connectional generators administration (IC) (IC) accessibility		
		LARCEMONT AND LIN
	MANUFACTURE AND ADDRESS OF THE OWNER	

Test Content	Tested by	
Performance Test		
Compression Depression Test	LABOSPORT	
FIFA laboratory Test		
UV Test	F	
Permeability Test		
Environmental Test	SGS	





Our Workshop



Looking forward to provide quality product and support for your project. Welcome for any inquiry!

See CHANGZHOU TAIHUI SPORTS MATERIAL CO., LTD

13915088459

grace@taihuisports.com

Shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower, Wujin District, China.