




Laminated Shock Pad Artificial Turf 12mm 15mm For Soccer Rugby Baseball Hockey FIFA World Rugby

Our Product Introduction

for more products please visit us on shockpadunderlay.com


Basic Information

- Place of Origin: CHINA
- Brand Name: TAIHUI
- Certification: SGS/LABOSPORT/SPORTSLABS
- Model Number: T2010K
- Minimum Order Quantity: 1,000 SQMS
- Price: By negotiation
- Packaging Details: One roll Packed in recyclable PE bag
- Delivery Time: One week after received the deposit
- Payment Terms: T/T
- Supply Ability: 500,000 sqms per month



Product Specification

- Product Name: UV Laminated Shock Pad Artificial Turf 12mm 15mm In Bicolor For Soccer Rugby Baseball Hockey FIFA World Rugby Certified
- Sports: Soccer Field, World Rugby, Safety Playground
- Thickness: 10mm-30mm
- Material: PE Foam New Material Laminated
- Dimension: Avoid Expansion Or Shrinking And Thus The Dimension Always Remains Stable.
- Cost: Highest Costing Performance.
- Highlight: **Laminated Shock Pad Artificial Turf, Shock Pad Artificial Turf 12mm, 30mm foam shock pad for artificial grass**



More Images



Product Description

UV Laminated Shock Pad Artificial Turf 12mm 15mm in Bicolor For Soccer Rugby Baseball Hockey FIFA World Rugby Certified

Why artificial turf systems need to adopt shock-absorbing pad?

1. The shock pad helps the artificial turf system provide superior resilience and impact resistance to reduce the injury which makes the artificial turf system comparable to the natural grass.
2. With shock pad underneath, the resilience and impact resistance of the artificial system can be maintained for long service life.

Athletes deserve the best playing surface available and when it comes to artificial turf sports fields you need to address three primary concerns: impact absorption, traction/stability, and dealing with the dangerously high temperatures found in the old turf systems. Join the movement and let's build a future of safe, high-performance sports fields!

Product Features

Layered compound proportion 4:6, to maximize shock absorption and minimize vertical deformation. With double-sided synchronous grooved technology, to enhance the water drainage in four directions while reducing the stress. Cutting grooves vertically and horizontally with holes to make sure water drainage in four directions, and installation more even.

The perfect combination of rubber and resin, as rubber has strong tensile properties, which can not easily be torn during the installation

Adopting a professional ratio of composite process, both to increase the impact of absorption, but also reduce the vertical deformation.

The backing film can enhance the breaking force and it is not easy to be damaged during the installation. It also has excellent UV-resistance and Odor-resistance.

Product Specifications	
Model:	T2010K
Thickness:	8-30 mm
Material:	New environmental friendly PE resin
Density:	50kgs, 70 kgs
Color:	Bicolors
Innovation Points:	Closed cell foam, double-sided grooved structure
Production size:	1.5m * 50m or tailored length
Production time:	Normally within 3~20 days
Package:	Recyclable PE bag

Products Display





Our Workshop



Why Should You Choose Us?

1. We offer outstanding products

High quality and reasonable price.

Installation guide and considerate service

Take care of the whole process from ordering, production, transport, installation and after-sale service

Strict inspection on the production and make sure the good quality of each batch

2. Choose us you can get

Professional quality control system, ensure each package with our best quality.

Perfect production line, ensure delivery on time.

Outstanding export teamwork, ensure thorough after-sale services.

Well know about foreign market, "Create Happy Sports" is our aim. Your trust, we treasure.

3. Please Note

Shock pad length is tailored based on the artificial grass pitch dimension or customers' special requests.

Installation of the shock pad shall be in the same direction of the artificial grass

For more optional details, please contact Changzhou Taihui sports Material Co.,Ltd

Any details of the Shock pad and infill granule should subject to our final confirmation before ordering.

Looking forward to provide quality product and support for your project.

Welcome for any inquiry!





13915088459



grace@taihuisports.com



shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower,Wujin District, China.