




## Artificial Grass Shockpad for Certified Professional Events Sites with High Tensile Strength and Long Lifespan

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: TAIHUI
- Certification: SGS/LABOSPORT/SPORTSLABS
- Model Number: T3004B/3006K
- Minimum Order Quantity: ACCORDING TO THE DEMAND FROM THE CUSTOMER
- Price: By Negotiation
- Packaging Details: Each roll packed in recyclable PP bag
- Delivery Time: 10 days after received the deposit
- Payment Terms: T/T or L/C
- Supply Ability: 300,000 sqms per month



### Product Specification

- Product Name: Artificial Grass Shockpad For Certified Professional Events Sites With High Tensile Strength And Long Lifespan
- Application: SOCCER
- Color: Black And Blue
- Length: Tailored For Pitch
- Thickness: 10mm/20mm/30mm
- Material: New Environmental Friendly Resin
- Highlight: 30mm Foam Turf Shock Pad,  
20mm Foam Turf Shock Pad,  
10mm grass shock pad underlay



### More Images



for more products please visit us on [shockpadunderlay.com](http://shockpadunderlay.com)

## Product Description

Artificial Grass Shockpad for Certified Professional Events Sites with High Tensile Strength and Long Lifespan

### Artificial Turf System

#### 1. Proposal without infill:

Ground base + 10 mm TAIHUI shock pad + 35~40 mm artificial turf

Scope of application: Sites for minors using (mainly for primary and secondary school sites).

#### 2. Standard proposal:

Ground base + 10 mm TAIHUI shock pad + 45~55 mm artificial turf + 25~35 kg silica sand + 5 kg TAIHUI Eco-friendly infill

Scope of application: Sites for adult (mainly for University sites), five-person or seven-person sites for operating.

#### 3. Proposal of FIFA QUALITY PRO:

Ground base + 10 mm TAIHUI shock pad + 50 mm artificial turf + 25~35 kg silica sand + 6~8 kg TAIHUI Eco-friendly infill.

Applicable scope: Certified professional events sites.

### Product Specifications

Model:	T3004B/3006K
Thickness:	8-30 mm
Material:	New environmental friendly foam
Density:	30 kg/m <sup>3</sup>
Color:	Black and blue or other colors
Features:	Closed cell foam, with water drainage holes
Size:	W1.5m * L50m or tailored length
Production time:	Normally within 10 days
Package:	Recyclable PE bag

### Product Description

Roll length can be customized according to the pitch to ensure no wastage

Excellent shock absorption and ball rebound performance.

No pulverize or rot, long lifespan.

Closed-cell foam does not absorb water, product installation is more even and not affected by the weather.

Special grooved design ensures the good water permeability, activities can be proceeded in the rainy days.

Flame retardant

### Product Advantages

Increases available time of use
Improves performance and safety
Non-toxic, odorless and environmentally-friendly.
Improve the water permeability, will not affect the performance after rainfall.
High performance quality
Consistent performance over time and use
Our shock pad can be installed directly on the water stabilized base, and then covered by artificial turf, which helps to save the cost of concrete or asphalt base.
Light in weight, one site can be installed in one day.
Elegant appearance and strong sense of comfort

## Test Certifications



## Our Workshop



### Our Achivements



### Payment & Delivery

**Payment term: 30% DEPOSIT AND BALANCE AGAINST THE B/L**

**Port: Shanghai, China**

**Delivery Time: 10 Days after receiving the deposit payment**

### Our Advantages

**Leading Chinese manufacturer for shock pad and infill granule in the artificial grass industry.**

**SGS Certificated.**

**LABOSPORT Certificated.**

**Trust we will support you by excellent quality and friendly price. Our products will make your artificial turf pitch safe and fantastic!**

**Welcome for any inquiry.**



**CHANGZHOU TAIHUI SPORTS MATERIAL CO.,LTD**



13915088459



grace@taihuisports.com



shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower,Wujin District, China.