



10mm 15mm 12mm Artificial Grass Foam Underlay 70kg/M3 Water Permeable

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: TAIHUI
- Certification: SGS/LABOSPORT/SPORTSLABS
- Model Number: T2004B/2006K
- Minimum Order Quantity: ACCORDING TO THE DEMAND FROM THE CUSTOMER
- Price: By negotiation
- Packaging Details: In roll or Sheets
- Delivery Time: One week after received the deposit
- Payment Terms: T/T or L/C,
- Supply Ability: 500,000 sqms per month



Product Specification

- Product Name: Artificial Grass Foam Underlay
- Application: Artificial Turf Football Pitch
- Structure: Laminated
- Length: Tailored For Pitch
- Standard Thickness: 10mm, 12mm, 15mm, 20mm And More
- Width: 1.5 Meter
- Material: PE Foam
- Color: Various
- Density: Various
- Highlight: 12mm artificial grass foam underlay, Artificial Grass Foam Underlay 70kg/M3, 10mm Performance Pad For Artificial Grass



More Images



for more products please visit us on shockpadunderlay.com

Product Description

Football Soccer Rugby Hockey 10mm 12mm 15mm Artificial Grass Foam Underlay Water Permeable Long-term Liftspan

Artificial Turf System

1. Proposal without infill:

Ground base + 10 mm TAIHUI shock pad + 35~40 mm artificial turf

Scope of application: Sites for minors using (mainly for primary and secondary school sites).

2. Standard proposal:

Ground base + 10 mm TAIHUI shock pad + 45~55 mm artificial turf + 25~35 kg silica sand + 5 kg TAIHUI Eco-friendly infill

Scope of application: Sites for adult (mainly for University sites), five-person or seven-person sites for operating.

3. Proposal of FIFA QUALITY PRO:

Ground base + 10 mm TAIHUI shock pad + 50 mm artificial turf + 25~35 kg silica sand + 6 kg TAIHUI Eco-friendly infill.

Applicable scope: Certified professional events sites.

Product Specifications

Model	T2004B/2006K
Certificate	SGS/LABOSPORT/SPORTSLABS
Usage	Artificial grass sports field
Material	New environmental friendly PE foam
Thickness	10-20mm
Density	70kg/m3
Color	Black and blue or customized color
Service Life	20 years
Roll Size	W1.5m * L50m or tailored length
Delivery time	One week

Features:

1. The shock pad underlay is very easy to install because of light weight and easy handling. Only one day needed to finish a standard size football field.
2. Closed cell PE foam doesn't absorb water; Which makes the installation will not be affected by bad weather.
3. Since edges of our shockpad underlay are cut neatly, all the joints can be easily and accurately welded.
4. The unique design offers excellent water drainage and avoid swelling or shrinking and thus the dimension always remains stable.
5. Excellent shock absorption and ball rebound performance.
6. Not rot or pulverize and long usage life.
7. Heavy-duty machine is no problem to move on its flat surface.
8. Roll length can be tailored to the field size, which reduces waste and labor force to utmost.
9. Stable shock absorption keeps the system sports performance stable for a long time

Product Advantages

Increases available time of use
Improves performance and safety
Non-toxic, odorless and environmentally-friendly.
Improve the water permeability, will not affect the performance after rainfall.
High performance quality
Consistent performance over time and use
Our shock pad can be installed directly on the water stabilized base, and then covered by artificial turf, which helps to save the cost of concrete or asphalt base.
Light in weight, one site can be installed in one day.
Elegant appearance and strong sense of comfort

Scope of Application



Our Workshop



Test Certifications



Project Display



Why Should You Choose Us?

1. We offer outstanding products

High quality and reasonable price.

Installation guide and considerate service

Take care of the whole process from ordering, production, transport, installation and after-sale service

Strict inspection on the production and make sure the good quality of each batch

2. Choose us you can get

Professional quality control system, ensure each package with our best quality.

Perfect production line, ensure delivery on time.

Outstanding export teamwork, ensure thorough after-sale services.

We'll know about foreign market, "Create Happy Sports" is our aim. Your trust, we treasure.

3. Please Note

Shock pad length is tailored based on the artificial grass pitch dimension or customers' special requests.

Installation of the shock pad shall be in the same direction of the artificial grass

For more optional details, please contact Changzhou Taihui sports Material Co., Ltd

Any details of the Shock pad and infill granule should subject to our final confirmation before ordering.

Taihuisports manufacture shock pad underlay and rubber granule infill to support artificial turf pitch for sports and landscaping. Welcome to visit Trust we will support you by excellent quality and friendly price. Our products will make your artificial turf pitch fantastic!

Welcome for any inquiry.



CHANGZHOU TAIHUI SPORTS MATERIAL CO.,LTD



13915088459



grace@taihuisports.com



shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower,Wujin District, China.