



Artificial Grass Underlay 8mm 20mm Synthetic Turf Shock Pad No Absorbing Water

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: TAIHUI
- Certification: LABOSPORT/SGS
- Model Number: T2504B/2506K
- Minimum Order Quantity: ACCORDING TO THE DEMAND FROM THE CUSTOMER
- Price: By negotiation
- Packaging Details: One roll Packed in recyclable PE bag
- Delivery Time: 10 days after received the deposit
- Payment Terms: L/C, T/T
- Supply Ability: 500,000 sqms per month



Product Specification

- Product Name: Fake Grass Underlay
- Sports: Soccer, Baseball, Golf, Rugby, Hockey, Playground
- Thickness: 8mm-20mm
- Length: Tailored Length For The Field Dimension
- Density: 30, 50, 70, 90kg/m3
- Warranty: 20 Years
- Highlight: Artificial Grass Underlay 8mm, 20mm Synthetic Turf Shock Pad



Product Description

Artificial Grass Underlay Crosslinked Synthetic Turf Shock Pads 8 MM - 20 MM No Absorbing Water

Artificial Turf System

1. Proposal without infill:

Ground base + 10 mm TAIHUI shock pad + 35~40 mm artificial turf

Scope of application: Sites for minors using (mainly for primary and secondary school sites).

2. Standard proposal:

Ground base + 10 mm TAIHUI shock pad + 45~55 mm artificial turf + 25~35 kg silica sand + 5 kg TAIHUI Eco-friendly infill

Scope of application: Sites for adult (mainly for University sites), five-person or seven-person sites for operating.

3. Proposal of FIFA QUALITY PRO:

Ground base + 10 mm TAIHUI shock pad + 50 mm artificial turf + 25~35 kg silica sand + 6 kg TAIHUI Eco-friendly infill.

Applicable scope: Certified professional events sites.

Product Specifications

Model:	T2504B/2506K
Thickness:	8-30 mm
Material:	New environmental friendly PE foam
Density:	50 kg/m ³
Color:	Black and blue or other colors
Features:	Closed cell foam
Size:	W1.5m * L50m or tailored length
Production time:	Normally within 3~20 days
Package:	Recyclable PE bag

Features:

1. The shock pad underlay is very easy to install because of light weight and easy handling. Only one day needed to finish a standard size football field.

2. Closed cell PE foam doesn't absorb water; Which makes the installation will not be affected by bad weather.

3. Since edges of our shockpad underlay are cut neatly, all the joints can be easily and accurately welded.

4. The unique design offers excellent water drainage and avoid swelling or shrinking and thus the dimension always remains stable.

5. Excellent shock absorption and ball rebound performance.

6. Not rot or pulverize and long usage life.

7. Heavy-duty machine is no problem to move on its flat surface.

8. Roll length can be tailored to the field size, which reduces waste and labor force to utmost.

9. Stable shock absorption keeps the system sports performance stable for a long time

Test Certifications



Scope of Application



Our Workshop



Project Display





Why Should You Choose Us?

1. We offer outstanding products

High quality and reasonable price.

Installation guide and considerate service

Take care of the whole process from ordering, production, transport, installation and after-sale service

Strict inspection on the production and make sure the good quality of each batch

2. Choose us you can get

Professional quality control system, ensure each package with our best quality.

Perfect production line, ensure delivery on time.

Outstanding export teamwork, ensure thorough after-sale services.

We'll know about foreign market, "Create Happy Sports" is our aim. Your trust, we treasure

3. Please Note

Shock pad length is tailored based on the artificial grass pitch dimension or customers' special requests.

Installation of the shock pad shall be in the same direction of the artificial grass

For more optional details, please contact Changzhou Taihui sports Material Co.,Ltd

Any details of the Shock pad and infill granule should subject to our final confirmation before ordering

Our primary goal is to satisfy our customers/clients by delivering the product&service that satisfies the first time, every time, costs go down and efficiency goes up.





13915088459



grace@taihuisports.com



shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower,Wujin District, China.