



PE Foam Artificial Grass Performance Pad Recyclable 8mm 10mm 12mm 20mm Thickness

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: TAIHUI
- Certification: LABOSPORT/SGS
- Model Number: T3010G
- Minimum Order Quantity: ACCORDING TO THE DEMAND FROM THE CUSTOMER
- Price: By negotiation
- Packaging Details: One roll Packed in recyclable PE bag
- Delivery Time: One week after received the deposit
- Payment Terms: L/C, T/T
- Supply Ability: 500,000 sqms per month



Product Specification

- Product Name: PE Foam Artificial Grass Shock Pad Underlay Recyclable 8mm 10mm 12mm 20mm Thickness Drainage Soft Layer
- Sports: Soccer, Football, Baseball, hockey, Rugby And Golf
- Water Absorption: Close Celled Doesn't Absorb Water
- Length: Tailored Length For The Field Dimension
- Color: Black And Blue
- Service Year: More Than 20 Years
- Drainage: >20,000 Mm/h
- Highlight: PE Foam Artificial Grass Performance Pad , Artificial Grass Performance Pad Recyclable , 20mm artificial grass foam underlay



More Images



for more products please visit us on shockpadunderlay.com

Product Description

PE Foam Artificial Grass Shock Pad Underlay Recyclable 8mm 10mm 12mm 20mm Thickness Drainage Soft Layer For Multiple Purpose

Why artificial turf systems need to adopt shock-absorbing pad?

1. The shock pad helps the artificial turf system provide superior resilience and impact resistance to reduce the injury which makes the artificial turf system comparable to the natural grass.
2. With shock pad underneath, the resilience and impact resistance of the artificial system can be maintained for long service life.

Product Specifications

Item No.:	T3004B/3006K
Thickness:	8-30 mm
Material:	New environmental friendly PE foam
Density:	30 kg/m ³
Color:	Black and blue or other colors
Features:	closed cell foam, 3-layer composite, double-sided grooved
Production size:	W1.5m * L50m or tailored length
Production time:	Normally within 3~20 days
Package:	Recyclable PE bag

Product Features

Layered compound proportion 4:6, to maximize shock absorption and minimize vertical deformation. With double-sided synchronous grooved technology, to enhance the water drainage in four directions while reducing the stress.

Drainage vertically and horizontally with holes to make sure water drainage in four directions, and installation more even.

The perfect combination of rubber and resin, as rubber has strong tensile properties, which can not easily be torn during the installation

Adopting a professional ratio of composite process, both to increase the impact of absorption, but also reduce the vertical deformation.

The backing film can enhance the breaking force and it is not easy to be damaged during the installation. It also has excellent UV-resistance and Odor-resistance.

Product Advantages

Material—The perfect combination of new environmental protection resin and rubber foam, rubber has a strong tensile strength and softness, which ensure the strong elasticity and softness brings sense of comfort at the same time. The UV resistant film brings the long service life for the shock pad which is more environmentally friendly, no odor.

Tensile strength—Three-layer structure and characteristics of rubber makes the shock pad with the strong tensile strength, which will protect the product from deformation and damage during the installation. Tensile strength of one-time forming process product is poor.

Cost—Our shock pad can be installed directly on the water stabilized base, and then covered by artificial turf, which helps to save the cost of concrete or asphalt base. Artificial grass pile height 40 mm filled with quartz sand and granules, whose overall cost is lower than the traditional grass pile 50mm without any infill.

Test Certifications




Scope of Application



Football



Baseball



Rugby



Hockey



Playground



Golf

Our Workshop



Why Should You Choose Us?

1. We offer outstanding products
High quality and reasonable price.

Installation guide and considerate service

Take care of the whole process from ordering, production, transport, installation and after-sale service

Strict inspection on the production and make sure the good quality of each batch

2. Choose us you can get:

Professional quality control system, ensure each package with our best quality.

Perfect production line, ensure delivery on time.

Outstanding export teamwork, ensure thorough after-sale services.

Well know about foreign market, "Create Happy Sports" is our aim. Your trust, we treasure.

3. Please Note

Shock pad length is tailored based on the artificial grass pitch dimension or customers' special requests.

Installation of the shock pad shall be in the same direction of the artificial grass

For more optional details, please contact Changzhou Taihui sports Material Co.,Ltd

Any details of the Shock pad and infill granule should subject to our final confirmation before ordering.

Some of Our Projects





**Trust the full information and the product will make you feel interested.
Looking forward to provide quality product and support for your project.
Welcome for any inquiry!**



CHANGZHOU TAIHUI SPORTS MATERIAL CO.,LTD



13915088459



grace@taihuisports.com



shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower,Wujin District, China.