

Soccer Pitch Crosslink Foam Sheets 10mm Shockpad Underlay FIFA Standard

Basic Information

Place of Origin: CHINABrand Name: TAIHUI

Certification: LABOSPORT/SGSModel Number: T2504B/2506K

• Minimum Order Quantity: ACCORDING TO THE DEMAND FROM

THE CUSTOMER

• Price: By negotiation

Packaging Details: One roll Packed in recyclable PE bag
 Delivery Time: 10 days after received the deposit

Payment Terms: L/C, T/T

Supply Ability: 300,000 sqms per month



Product Specification

Product Name: Crosslink Foam Sheets

Sports: Soccer, Golf, Rugby, Hockey, Playground
 Water Absorption: Close Celled Doesn't Absorb Water
 Length: Taiolor Length For The Field Dimension

• Density: 30, 50, 70 Kg/m3

• Installation: Easy And Convenient, And We Provide The

Installation Guide

Service Year: More Than 20 Years

Highlight: Soccer Pitch Crosslink Foam Sheets,

Crosslink Foam Sheets 10mm, 10mm Shockpad Underlay



More Images



Product Description

Soccer Pitch Crosslink Foam Sheets Shock Pad 10mm FIFA Standard

Features

- 1) Natural appearance
- 2) Excellent performance, more natural
- 3) Comfortable
- 4) Good UV stability
- 5) Good water permeability
- 6) Easy installation and maintenance.

Comparison between FOAM shock pad and IN-SITU shock pad

	FOAM SHOCK PAD	IN-SITU SHOCK PAD
PRICE	CHEAP	HIGH
INSTALLATION COST	CHEAP	HIGH
INSTALLATION TIME	VERY FAST	LONGER
THICKNESS	THIN	THICK
WEIGHT	LIGHT	HEAVY
FLATNESS	EVENLY	NOT EVENLY
WATER PERMEABILITY	VERY FAST	SLOW
RECYCLABLE	EASY	DIFFICULT
ENVIRONMENTAL FRIENDLY	YES	NO

Product Advantages

Structure----Our shock pad has been adopted proportion 4:6 and three-layer composite technology. Compared with one-time foaming process product, one-time foaming product is easily deformed, and elasticity lost too quickly make it difficult to restore elasticity after long-term use.

Material-The perfect combination of new environmental protection resin and rubber foam, rubber has a strong tensile strength and softness, which ensure the strong elasticity and softness brings sense of comfort at the same time. The UV resistant film brings the long service life for the shock pad who is more environmentally friendly, no odor.

Cutting technology---Adopting Triangular symmetry structure and making very good use of physics, with the triangle stability, four symmetrical triangular structure is more stable.

Tensile strength---Three-layer structure and characteristics of rubber makes the shock pad with the strong tensile strength, which will protect the product from deformation and damage during the installation. Tensile strength of one-time forming process product is poor.

Performance

Our product is light in weight and easy to install which shorten the installation period and reduce the cost.

Product has excellent shock absorption and ball rebound performance, bring happiness to the sports and avoid injury, which can be close to the natural grass feeling at the most.

Roll length can be customized according to the pitch

No pulverize or rot, long life span

Closed-cell foam product does not absorb water, which makes the installation easy and not influenced by the weather.

Heavy-duty machine has no problem to move on its flat surface.

Special porous design ensures the good water permeability, so there is no water on the artificial grass, and activities can be proceeded in the rainy days.

Elegant appearance and strong sense of comfort.

Three layers' design to maximize shock absorption and minimize vertical deformation

Projects installed on site





Trust we will support you by excellent quality and friendly price. Our products will make your artificial turf pitch fantastic!

Welcome for any inquiry.

CHANGZHOU TAIHUI SPORTS MATERIAL CO.,LTD





grace@taihuisports.com



shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower, Wujin District, China.