



Custom Shock Pad Underlay For Artificial Grass World Rugby Certified

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: TAIHUI
- Certification: SGS/LABOSPORT
- Model Number: Rugby Shock pads
- Minimum Order Quantity: 1,000 sqms
- Price: as per discussion
- Packaging Details: One roll Packed in recyclable PE bag
- Delivery Time: One week
- Payment Terms: T/T
- Supply Ability: 500,000 sqms per month



Product Specification

- Color: Various
- Drainage Design: Water Drainage In 4 Directions
- Installation: Roll Out And Cut To Fit
- Pattern: Customized
- Roll Size: 1.5m*50m Or According To Your Pitch
- Service Year: More Than 20 Years
- Sports: Rugby, Soccer, Playground, Landscaping
- Vertical Deformation: 12mm
- Water Absorption: Close Celled Doesn't Absorb Water
- Water Drainage: 4000 Mm/hr
- Highlight: Custom Shock Pad Underlay,
Shock Pad Underlay For Artificial Grass,
Artificial Grass Underlay Shockpad



More Images



Product Description

World Rugby Certified Shock Pad Underlay for Artificial Grass Water Drainage Horizontally Comply with EN15330-4

Technical Specification for Shock Pad

Properties	Specifications	Unit	Standard
Material	New environmental friendly resin		IEC62321
Thickness	12	mm	EN1969
Color	Black and Blue		
Tensile strength (Horizontal)	0.35	MPa	EN12230
Tensile strength (Vertical)	0.30	MPa	EN12230
Shock absorption	45	%	Advanced Artificial Athlete - FIFA 4a
Vertical deformation	4-6	mm	Advanced Artificial Athlete - FIFA 5a
Water infiltration rate	>20000	Mm/h	EN12626
Eco-friendly	Food-grade (EU standard)		

Our Certificate



Product Innovation Points

Ø Structure ---Layered compound proportion 4:6, to maximize shock absorption and minimize vertical deformation
Ø Material ---The perfect combination of new environmental protection resin and rubber foam, rubber has a strong tensile strength and softness, which ensure the strong elasticity and softness brings sense of comfort at the same time. The UV resistant film brings the long service life for the shock pad who is more environmentally friendly, no odor.
Ø Cutting technology ---Cutting grooves vertically and horizontally with holes to make sure water drainage in four directions, and installation more even.
Ø Tensile strength ---Three-layer structure and characteristics of rubber makes the shock pad with the strong tensile strength, which will protect the product from deformation and damage during the installation. Tensile strength of one-time forming process product is poor.

Advantages

- Ø Our product is light in weight and easy to install which shorten the installation period and reduce the cost.
- Ø Product has excellent shock absorption and ball rebound performance, bring happiness to the sports and avoid injury, which can be close to the natural grass feeling at the most.
- Ø Roll length can be customized according to the pitch
- Ø No pulverize or rot, long life span
- Ø Closed-cell foam product does not absorb water, which makes the performance more stable, and installation easier.
- Ø The two-way grooved design ensures that the product installation is more even and not affected by the weather.
- Ø Special grooved design ensures the good water permeability, so there is no water on the artificial grass, and activities can be proceeded in the rainy days.
- Ø Elegant appearance and strong sense of comfort.

Our Installation on site



Taihuisports manufacture shock pad underlay and rubber granule infill to support artificial turf pitch for sports and landscaping. Trust we will support you by excellent quality and friendly price. Our products will make your artificial turf pitch fantastic!

Welcome for any inquiry.



CHANGZHOU TAIHUI SPORTS MATERIAL CO.,LTD



13915088459



grace@taihuisports.com



shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower,Wujin District, China.