

Water Drainage Artificial Grass Underlay Laminated 20mm 30mm 50mm

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: TAIHUI
- Certification: SGS/LABOSPORT/SPORTSLABS
- Model Number: Perferated Shock pads
- Minimum Order Quantity: 1,000 sqms
- Price: as per discussion
- Packaging Details: In rolls
- Delivery Time: one week
- Payment Terms: T/T
- Supply Ability: 500,000 sqms per month




Product Specification

- Color: Various
- Frost Resistant: Yes
- Installation: Weather Resistant
- Installation Method: Lay Flat Or Roll Out
- Length: Taiolor Length For The Field Dimension
- Maintenance Free: Yes
- Permeability: > 20000mm/h
- Roll Size: 1m X 50m
- Size: Based On Your Field Dimension
- Usage: Suitable For All Types Of Artificial Grass
- Uv Resistance: Yes
- Warranty: 20 Years
- Width: 1m/1.25m/1.5m
- Highlight: Water Drainage Artificial Grass Underlay ,
Drainage Artificial Grass Underlay 20mm ,
Drainage Artificial Grass Underlay 30mm ,
Drainage Artificial Grass Underlay 50mm



More Images



for more products please visit us on shockpadunderlay.com

Product Description

Eco-Friendly Water Drainage Artificial Grass Underlay Laminated 20mm 30mm 50mm Thickening Pads

Product Innovation Points

Layered compound proportion 4:6, to maximize shock absorption and minimize vertical deformation. With double-sided synchronous grooved technology, to enhance the water drainage in four directions while reducing the stress.
Cutting grooves vertically and horizontally with holes to make sure water drainage in four directions, and installation more even.
The perfect combination of rubber and resin, as rubber has strong tensile properties, which can not easily be torn during the installation
Adopting a professional ratio of composite process, both to increase the impact of absorption, but also reduce the vertical deformation.
The backing film can enhance the breaking force and it is not easy to be damaged during the installation. It also has excellent UV-resistance and Odor-resistance.

Product Advantages

Material—The perfect combination of new environmental protection resin and rubber foam, rubber has a strong tensile strength and softness, which ensure the strong elasticity and softness brings sense of comfort at the same time. The UV resistant film brings the long service life for the shock pad which is more environmentally friendly, no odor.

Tensile strength—Three-layer structure and characteristics of rubber makes the shock pad with the strong tensile strength, which will protect the product from deformation and damage during the installation. Tensile strength of one-time forming process product is poor.

Cost—Our shock pad can be installed directly on the water stabilized base, and then covered by artificial turf, which helps to save the cost of concrete or asphalt base. Artificial grass pile height 40 mm filled with quartz sand and granules, whose overall cost is lower than the traditional grass pile 50mm without any infill.

Product Specifications

Model	T2004B/2006K
Application	Artificial sports fields such as football, hockey, rugby, baseball, tennis, etc.
Thickness(mm)	8-30 mm
Lead time for one 40'HQ	7-10 days
MOQ(sq m)	According to the demand from customer
Roll Width(m)	1.5 m
Roll Length(m)	50 m or customized
Certificate	SGS/LABOSPORT/SPORTSLABS
Color	Black and blue or customized

Scope of Application



Football



Baseball



Rugby



Hockey



Playground




Golf



Certificate

FIFA LABORATORY TEST REPORT

Test manual 2015
01.01.2015



LABORATORY PERFORMANCE REPORT

In accordance with

**CEN/TC 217/WG 11 N 118 –
Horizontal Drainage of Elastic Layers (working draft method)*
and
EN 12616: 2013 – Surfaces for Sports Areas – Determination of
Water Infiltration Rate**

Sample Reference **Shockpad Sample**

Report Number **18125/5157**

Report Status **Final**

Issue Date **20/04/2017**

Client Changzhou Taihui Sports Material Co.,Ltd
No.8, Guangdian Road,
Wujin New District
Changzhou
Jiangsu
CHINA

FOREWORD

1. This report has been prepared by Sports Labs limited with all reasonable skill, care and diligence within the terms of the contract with the Client and within the limitations of the resources devoted to it.
2. This report is confidential to the Client and Sports Labs Limited accepts no responsibility whatsoever to third parties to whom this report, or any part thereof, is made known. Any such party relies upon the report at their own risk.
3. This report shall not be used for engineering or contractual purposes unless signed by the Author and the Checker and unless the report status is "Final".
4. *Not all tests carried out are within our scope of ISO 17025 Accreditation.
5. Comments and opinions are outwith the scope of our ISO 17025 accreditation



HEAD OFFICE

Sports Labs Ltd
1 Adams Square,
Bracefield Industrial Park
Lingwood
BB21 4 9DE
Tel: +44(0)1506 444 755
Email: info@sportslabs.co.uk

REGIONAL LOCATIONS

Salisbury
Gloucester
Askins
Bristol & Seattle
Cardiff
Registered in
Scotland No 186755

Our Strength

Extensive production experience: we are specialized in shock pad and infill granules for artificial grass for over 10 years.

2. Stable quality and on-time delivery: with our workshop, we can control the quality from raw material to each production process. What's more, we have some stock on the popular items, which means we can meet your urgent need and can ensure the delivery time.

3. Superior production equipment: we own precision machine controlled by computer system and other advanced equipment. Our technicians will do regular scheduled maintenance on these machines to ensure them work well.

4. Customized: the color, length and thickness can all be customized according to the demand of customers.

Taihuisports manufacture shock pad underlay and rubber granule infill to support artificial turf pitch for sports and landscaping. Trust we will support you by excellent quality and friendly price. Our products will make your artificial

turf pitch fantastic! www.taihuisports.com

Welcome for any inquiry.



CHANGZHOU TAIHUI SPORTS MATERIAL CO.,LTD



13915088459



grace@taihuisports.com



shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower,Wujin District, China.