

SGS/LABOSPORT/SPORTSLABS

10 days after received the deposit

8-20mm Thickness Artificial Turf Shock Pad Playground Underlay

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1000 SQMS

China TAIHUI

T3010K/T2508K

By negotiation

Packed in roll in PE bag

300,000 sqms per month

- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C,T/T
- Supply Ability:



Product Specification

 Sport: Soccer, Basketball, football, all Sports, shockpad Polypropylene(PP),PE,XPE,PE+PP,Rubber Material: Foaming Density: 50kg,70 Kg,25-60kg/m3,50 Kg,33 Kg/M3 Product Name: Shock Pad, Interlocking PP Sports Flooring, Anti-Slip Portable Tennis Court Sports Flooring Shock Pad Underlay, Artificial Grass Wall Shock Pad Underlay For Artificial, Artificial Turf 10mm,8mm~20mm,0.7cm Or • Thickness: Customized,10mm (Customized),20 Mm Customized Size, 1.5m*50m, 1.4*1.4m Or Size: Customized, 30.5*30.5*1.4cm, 305.6*305.6*14 • Width: 1.5m,OEM Service Is Welcomed,1.2 M,Within 1800 Mm,1m Bulk Or Cut-to-length,120m,95m,78m . Length: • Weight: 325g/pc,500-600g/ M2



More Images





1. Product Description and Advantage

| Material | crossed-linked poly ethylene; eco-friendly |
|------------------|--|
| density | 30-90kg/m3 |
| thickness | 8-15mm thickness |
| color | blue;red;white;green |
| length | as your requirement |
| width | 1.5m |
| style package | in roll |
| Cloth | can be added , such as geotextile cloth, nylon 3D cloth, aluminum foil, PE cloth and so on |

2.Advantage:

a. Product has excellent **shock absorption and ball rebound performance**, bring happiness to the sports and avoid injury, which can be close to the natural garss feeling at the most.

b.No pulverize or rot, long life span. **Closed- cell foam** product does not absorb water, which makes the performance more stable, and installation easier.

c.**Special hole design** ensures the good water permeablility , so there is no water on the artificial grass, and activities can be proceeded in the rainy days. Adopting a professional ratio of composite process, not only increase the shock adsorption, but also reduce the vertical deformation.

d.Elegant appearance and strong sense of comfort.





2.Scope of Application and Workshop

Scope of Application



Football



Baseball



Rugby







Golf

Hockey

Playground


Our Workshop



3. Project Show

Till now we have joined more than 3,000 professional sports fields construction and 50 quality of FIFA pitches with our performance shock pad underlay and TPE infill granule as a turf system, as well as landscaping and playground application. Please contact us freely if you have the demand of the material, we hope to be one of your alternative option and provide favors.

We have passed EN15530-4&FIFA2024. We also provide artificial turf system for you, including artificial grass, shock pad, infill granule and quartz sand.





4. Certificate

| LABORATORY PERFORMANCE REPORT In searchase with CENTE 217/WELLS LIE : CONTROL OF A CONTROL A C | SGS NESS IN DECEMBER MERCENERATION | 18.0000001 8.0.000 | LABOSPORT 技术报告 成员的性思解试 |
|---|--|--------------------|--|
| NUMBER: Subjects Access - Determination of Basets Access - Determination and Basets - Determination of Basets - Determinatione - Determinatione - Determinatione - Determinatione - Det | ВСОВ 8881-0 ВСОВ <th></th> <th> 第9001 00 2 807 0.3 1 betweet on minologiel (N 第1日 日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日</th> | | 第9001 00 2 807 0.3 1 betweet on minologiel (N 第1日 日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日 |
| Test Content | | | Tested by |
| | st | LABOSPORT | |
| Performance Te | JU | | |
| Performance Te Compression Depress | | LABU | SF UNI |
| | | LABU | |
| Compression Depress | sion Test | | |

Building 3A-602, R&D Hub, Science&education Tower,Wujin District, China.