Split Type Interlocking Synthetic Belt Shock Pad Basketball Court Table Tennis Floor 333.4mm Height 17mm For Stadium Sports

Basic Information

- Place of Origin:
- Brand Name:
- Certification: ISO
 Minimum Order Quantity: 1000
- Minimum Order Quantity:Delivery Time:
- Payment Terms:
- Supply Ability:
- Within 7 work days ,T/T 300000 per month

0.4MP

3T/

CHINA

TAIHUI SPORTS



Product Specification

- Tensile Strength:
- Load Capacity:
- Dimension:
- Height:
- UV:
- Lifespan:
- Highlight:
- 333.4mm 17mm 2500h 10 Years **17mm Interlocking Synthetic Belt Shock Pad**, Interlocking Synthetic Belt Shock Pad



More Images



Product descriptions from the supplier

Specification

Product Name	Chain-type drain shock absorber
Place of Origin	China
Size	333.4*17mm
Color	Customize
Material	TPE
Load capacity	3T/
UV	2500
Lifespan	10 years
Feature	No toxic, No smell, No bubbling, No cracking
Application	Indoor and outdoor use, including kindergarten court, basketball court, football courts, and other sports courts, etc.

Product Description

Realize large-area installation with high efficiency, no bulge, no dislocation, and no shift, etc. Fix the around base tightly, even if the ground is slightly cracking or collapse, the overall fatness and firmness of the site can still be protected.







About us

Changzhou Tahui Sports Material Co., Ltd., located in Wujin High-Tech Development Zone, Changzhou City, is a high-tech enterprise dedicated to the R&D and sales of polymer materials. The company has a professional technical team and strong R&D capabilities, collaborating with Sichuan University and Changzhou University Town, and has established a strong school-enterprise cooperative relationship.

We always adhere to the belief that product quality is the best solution. Now, more than ever, we insist on innovation to provide customers with the highest-quality service.

With the development of the sports industry in recent years, the artificial turf industry has also made rapid progress. As quality requirements improve, existing sites are no longer sufficient to meet market demands. In response, environmentally friendly elastic infill granules and shock pads have emerged as key solutions.



PRODUCTION | OPERATION | INVESTMENT A GROUP COMPANY OF SPORTS INDUSTRY





13915088459 grace@taihuisports.com
 shockpadunderlay.com
 Building 3A-602, R&D Hub, Science&education Tower,Wujin District, China.