

Top South Korean Technology Pattern Shock Pad For Artificial Turf Durable Customized Shock Absorption Sports Surface Underlay

Basic Information

Place of Origin: ChinaBrand Name: TAIHUICertification: FIFA

Model Number: Pattern shock pad

Minimum Order Quantity: 1000Price: Around 2\$Packaging Details: PE

Delivery Time: Within one week
 Payment Terms: L/C,D/A,D/P,T/T
 Supply Ability: 30000 sqms/day

Product Specification

Density: 800kg/m3Compression Strength: >200kPaColour: Any

Cost: Highest Costing Performance

Usage: Entertainment Service Life: 8 Years

Water Absorption: Close Celled Doesn't Absorb Water

Easy To Install: YesService Year: 8 YearsWater Permeability: Good

Technics: With Top South Korean Technology

• Drainage Capacity: >20,000MM/H

• Design: Special Porous Design

Shock Absorption: 70%

Package: Each Roll In PE Bag

More Images



SPECIFICATION

Our **Pattern Shock Pad** is specially engineered to enhance the performance and safety of artificial turf systems. Designed with an advanced **patterned structure**, it delivers **optimal shock absorption**, **impact reduction**, **and drainage performance**, making it ideal for **sports fields**, **playgrounds**, **and landscaping projects**.



DATA SHEET

| Item | Specification |
|----------------|--|
| Product Type | Pattern Shock Pad (PE Foam) |
| Material | Cross-linked Polyethylene |
| Surface Design | Patterned with Drainage Holes |
| Application | Football, Rugby, Multi-sport, Playground |
| Thickness | 8 / 10 / 12 / 15 / 20 mm |
| Width x Length | 1.5m W × 95m L (Customizable) |

| Item | Specification |
|----------------------|--------------------------|
| Density | 30–100 kg/m ³ |
| Shock Absorption | ≥ 55% |
| Vertical Deformation | 4–8mm |
| Energy Restitution | 35–50% |
| Drainage Rate | >4000 mm/h |
| UV Resistance | Yes |
| Temp Resistance | -10°C to +60°C |
| Installation | Roll-out & tape join |



Key Benefits

High-performance shock absorption ensures player safety
Patterned design enhances water drainage
Lightweight and easy to install
Maintains performance in all weather conditions
Eco-friendly, non-toxic material



CERTIFICATION

Test Certifications



CASES





CHANGZHOU TAIHUI SPORTS MATERIAL CO.,LTD

13915088459

grace@taihuisports.com

shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower, Wujin District, China.