




## 10mm 12mm UV Resistant Soccer Shock Pad For Artificial Grass Sports Field Landscaping Playground

Our Product Introduction

### Basic Information

- Place of Origin: CHINA
- Brand Name: TAIHUI
- Certification: FIFA,WR,FIH
- Model Number: T2510K
- Minimum Order Quantity: ACCORDING TO THE DEMAND FROM THE CUSTOMER
- Price: By negotiation
- Packaging Details: Packed in roll in PE bag
- Delivery Time: 10 days after received the deposit
- Payment Terms: L/C,T/T
- Supply Ability: 300,000 sqms per month



### Product Specification

- Density: 50kg/m<sup>3</sup>
- Safe For Children: Yes
- Cost: Highest Costing Performance.
- Roll Width: 1.5m
- Uv Resistance: Yes
- Easy To Install: Yes
- Packing: PP In Roll,PP Bag
- Slip Resistance: Excellent
- Uva: 5000H



### More Images



for more products please visit us on [shockpadunderlay.com](http://shockpadunderlay.com)

## Product Description

**UV Resistant Soccer Shock Pad For Turf Carpet Underlay For Artificial Grass Supplier of High-quality Artificial grass ShockPads**

### Why artificial turf systems need to adopt shock-absorbing pad?

1. The shock pad helps the artificial turf system provide superior resilience and impact resistance to reduce the injury which makes the artificial turf system comparable to the natural grass.
2. With shock pad underneath, the resilience and impact resistance of the artificial system can be maintained for long service life.

Athletes deserve the best playing surface available and when it comes to artificial turf sports fields you need to address three primary concerns: impact absorption, traction/stability, and dealing with the dangerously high temperatures found in the old turf systems. Join the movement and let's build a future of safe, high-performance sports fields!

### Product Innovation Points

Layered compound proportion 4:6, to maximize shock absorption and minimize vertical deformation. With double-sided synchronous grooved technology, to enhance the water drainage in four directions while reducing the stress.
Cutting grooves vertically and horizontally with holes to make sure water drainage in four directions, and installation more even.
The perfect combination of rubber and resin, as rubber has strong tensile properties, which can not easily be torn during the installation
Adopting a professional ratio of composite process, both to increase the impact of absorption, but also reduce the vertical deformation.
The backing film can enhance the breaking force and it is not easy to be damaged during the installation. It also has excellent UV-resistance and Odor-resistance.

### Product Advantages

**Material**—The perfect combination of new environmental protection resin and rubber foam, rubber has a strong tensile strength and softness, which ensure the strong elasticity and softness brings sense of comfort at the same time. The UV resistant film brings the long service life for the shock pad which is more environmentally friendly, no odor.

**Tensile strength**—Three-layer structure and characteristics of rubber makes the shock pad with the strong tensile strength, which will protect the product from deformation and damage during the installation. Tensile strength of one-time forming process product is poor.

**Cost**—Our shock pad can be installed directly on the water stabilized base, and then covered by artificial turf, which helps to save the cost of concrete or asphalt base. Artificial grass pile height 40 mm filled with quartz sand and granules, whose overall cost is lower than the traditional grass pile 50mm without any infill.

## Project Display





## Test Certifications

**LABORATORY PERFORMANCE REPORT**

In accordance with  
**CEN/TC 227/WG 11.9.118 -**  
**Horizontal Drainage of Elastic Layers (working draft method) -**  
**and**  
**EN 12616: 2013 - Surfaces For Sports Areas - Determination of**  
**Water Infiltration Rate**

Sample Reference: **Shockpad Sample**

Report Number: **SR1251037**

Report Status: **Final**

Issue Date: **2019/01/2017**

Client: **Changzhou Taihui Sports Material Co., Ltd**  
**No. 6, Xiangqian Road,**  
**Shujin New District**  
**Changzhou**  
**China**

**SGS**

测试报告

报告编号: SR1251037

日期: 2019/01/2017

客户: 常州泰汇体育材料有限公司

样品名称: 减震垫样品

测试项目: 水平排水性能测试

测试标准: EN 12616: 2013

测试结果: 符合标准要求

**LABOSPORT**

技术报告

减震垫性能测试

报告编号: SR1251037

日期: 2019/01/2017

客户: 常州泰汇体育材料有限公司

样品名称: 减震垫样品

测试项目: 水平排水性能测试

测试标准: EN 12616: 2013

测试结果: 符合标准要求

**SGS**

**LABOSPORT**

**CNAS**


检测

CNAS L1049

**SPORTS LABS**



## Our Workshop



We are committed to serve the global market, who is undoubtedly the most advanced plant among the industry

- ² Modern logistics system
- ² Strict purchasing control
- ² Secure storage environment
- ² Extensive capabilities
- ² Professional production line
- ² First-class environment
- ² Automatic packing production line

### FAQ

1. Q: Can I order sample?

A: Yes, we accept sample for trial order.

2. Q: What's the delivery time?

A: It usually takes about 10 days. But the exact delivery time is different for different order quantity.

3. Q: Can I use my logo on the product?

A: Yes, we can make the customers' logo on the package

5. Q: What is payment

A: T/T or L/C.

**We manufacture shock pad underlay and TPE rubber granule infill to support artificial turf pitch for sports and landscaping. Trust we will support you by excellent quality and friendly price. Our products will make your artificial turf pitch safe and fantastic!**

**Welcome for any inquiry.**

**Tag:** Artificial Grass Performance Pad, artificial grass foam underlay, Artificial Grass Shockpad Underlay



**CHANGZHOU TAIHUI SPORTS MATERIAL CO.,LTD**



13915088459



grace@taihuisports.com



shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower,Wujin District, China.