

# 3.5-10mm Thickness Indoor Sports Flooring For Courts Volleyball / Badminton / Table Tennis / Basketball / Gym / Dance Room

## **Basic Information**

Place of Origin: ChinaBrand Name: TAIHUI

Certification: CE/ISO14001/ISO9001/ SGS

Minimum Order Quantity: 500 sqms
Price: By negotiation
Delivery Time: 7-15 Days
Payment Terms: T/T,L/C

Supply Ability: 1,000,000 sqms per month



# **Product Specification**

Material: PVC FoamThickness: 3.5-10 Mm

Size: Can Be Customized

Feature: Shock Absorbing And Providing Safety

Style: Can Be Customized
 Colour: Can Be Customized
 Structure: Laminated Layers

Usage: Tennis

Courts/basketball/badminton/volleyball/gym/d

Room

Safe For Children: YesWaterproof: Yes

Installation: Easy And Convenient

Core Advantages: Super Wear-resistant, Anti-fouling, Anti-slip

Highlight: 10mm Thickness PVC Sports Flooring,

3.5mm Thickness PVC Sports Flooring,



# More Images







# **Product Description**


Product Name	PVC Sports Floorglue
Product Brand	TAIHUI
Origin	China
Material	PVC, Glass fiber, Foam
Thickness	3.5 - 10 mm
Roll Width	1.8 m
Roll Length	15/20 m
Color	Green, Blue, Red, Yellow, Black, Customized
Surface Texture	Customized
OEM/ODM	Yes
Install	Glue down
Certificates	ROHS/ CE/ SGS/ IOS/ BWF
Service Life	8 Years


# **Product Structure**



# **Product Application**







### Why Choose Taihui PVC Flooring

# (1) Excellent shock absorption and ballbounce to protect the joints from damage.

Low calcium foaming design, excellent rebound performance, high efficiency buffer shock absorption, reduce the risk of vibration, to avoid joint muscle damage.

# (2) Environmental new materials, so that breathing more health!

Using a new environmentally friendly new materials, 0 formaldehyde, no DOP, without heavy metals, to create a healthy breathing space.

## (3) Wear resistance to high pressure, more foot safe.

To provide high-strength compression and wear resistance, grip full score, foot comfort, so that the foot to be all-round protection.

#### (4) Sound-absorbing noise reduction, away from intangible damage.

Multi-foam layer can absorb 17-25 dB outside noise, vacuum purify intangible damage, care of your hearing health.

#### (5) The ground is firm and stable, free to run.

 $High-density\ fiber\ layer,\ the\ structure\ of\ a\ solid\ anti-deformation,\ to\ avoid\ injury\ sprain,\ providing\ a\ safe\ sliding\ balance\ protection.$ 

#### (6) Anti-mildew & anti-bacterial technology, eliminate bacteria from the source.

Effectively inhibit the breeding of mold, lasting protection of the ground clean health, away from the disease.

# (7) A wide range of product, ease visual fatigue.

Species rich and varied, widely used to effectively relieve eye fatigue, boost the spirit of God, to stimulate new vitality.

# (8) Professional integrated performance, to create a safe ground.

 $With \ professional \ product \ performance \ to \ provide \ ideal \ ground \ solutions \ for \ different \ application \ places, \ create \ a \ safe \ ground \ environment.$ 

#### **FAQ**

## Q1: What is your payment method?

We generally accept T/T and L/C. After receiving the deposit, our factory will commence production or prepare the goods. The remaining balance should be paid before shipment or upon presentation of the B/L.

# Q2: What are your delivery methods?

EXW, FCA, FOB, CFR, CIF, DAP, etc.

#### Q3: What is your production time?

It usually takes about 7 to 15 days after receiving the advance payment. The specific delivery time depends on your order and quantity.

#### Q4: Can you provide samples?

Yes, we can provide complimentary samples for customer reference.

#### Q5: Can you provide a customized service?

Yes, we could customize the mats according to our customers, e.g, dimensions, thickness, colors, hardness, heat transfer printings, and patterns.

# CHANGZHOU TAIHUI SPORTS MATERIAL CO.,LTD



13915088459



grace@taihuisports.com



shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower, Wujin District, China.