



## Modern Eco-Friendly 3.5mm-8mm Durable Sports Flooring Wood Grain for Basketball/ Volleyball/ Table Tennis/ Badminton/ Pickleball Court

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: TAIHUI
- Certification: CE/ISO14001/ISO9001/ SGS
- Minimum Order Quantity: 500 sqms
- Price: By negotiation
- Delivery Time: 7-15 Days
- Payment Terms: T/T,L/C
- Supply Ability: 1,000,000 sqms per month



### Product Specification

- Material: PVC, Glass Fiber, Foam
- Thickness: 3.5-10 Mm
- Size: Can Be Customized
- Feature: Super Wear-resistant, Anti-fouling, Anti-slip, Waterproof
- Style: Can Be Customized
- Colour: Can Be Customized
- Structure: Laminated Layers
- Usage: Sport Courts; Tennis/basketball/badminton/volleyball/gym/d Room
- Safe For Children: Yes
- Waterproof: Yes
- Installation: Easy And Convenient
- Core Advantages: Super Wear-resistant, Anti-fouling, Anti-slip
- Service Life: 8-10 Years



### More Images



for more products please visit us on [shockpadunderlay.com](http://shockpadunderlay.com)

## Product Description


### Product Description

Product Name	Wood Grain PVC Flooring
Product Brand	TAIHUI
Origin	China
Material	PVC, Glass fiber, Foam
Thickness	3.5 - 10 mm
Roll Width	1.8 m
Roll Length	15/20 m
Color	Green, Blue, Red, Yellow, Black, Customized
Feature	Super wear-resistant, anti-fouling, anti-slip, waterproof
OEM/ODM	Yes
Install	Glue down; Easy and convenient
Certificates	ROHS/ CE/ SGS/ IOS/ BWF
Application	Indoor and outdoor courts
Service Life	8-10 Years

### Product Parameter

Description	Standard	Unit	Result
Total Thickness	EN 428	mm	4.5-10.0
Thickness Of Wear Layer	EN 429	mm	0.5-1.5
Roll Width	EN 426	m	1.8
Roll Length	EN 426	m	15/20
Performances			
Impact Resistance	DIN18032	N/M	≥8
Abrasion Resistance	Wear scar length	≤10	7
Indentation Resistance	EN1516	mm	≤0.6
Sound insulation	ENIS0717-2	dB	20-30
Ball Bounce	DIN18032	%	≥93
Coefficient Of Friction	-	1.0-1.5	1.2
Rebound Coefficient	-	≥0.85	0.86
Chemical Detection			
Soluble Cadmium Content		mg/m2	Not detected
Volatile Content		g/m2	16
Vinyl Chloride Content		g/kg	Not detected
Soluble Pb Content		mg/m2	Not detected

### Product Structure















### Taihui PVC Flooring Advantage

---

**(1) Excellent shock absorption and ballbounce to protect the joints from damage.**

Low calcium foaming design, excellent rebound performance, high efficiency buffer shock absorption, reduce the risk of vibration, to avoid joint muscle damage.

**(2) Environmental new materials, so that breathing more health!**

Using a new environmentally friendly new materials, 0 formaldehyde, no DOP, without heavy metals, to create a healthy breathing space.

**(3) Wear resistance to high pressure, more foot safe.**

To provide high-strength compression and wear resistance, grip full score, foot comfort, so that the foot to be all-round protection.

**(4) Sound-absorbing noise reduction, away from intangible damage.**

Multi-foam layer can absorb 17-25 dB outside noise, vacuum purify intangible damage, care of your hearing health.

**(5) The ground is firm and stable, free to run.**

High-density fiber layer, the structure of a solid anti-deformation, to avoid injury sprain, providing a safe sliding balance protection.

**(6) Anti-mildew & anti-bacterial technology, eliminate bacteria from the source.**

Effectively inhibit the breeding of mold, lasting protection of the ground clean health, away from the disease.

**(7) A wide range of product, ease visual fatigue.**

Species rich and varied, widely used to effectively relieve eye fatigue, boost the spirit of God, to stimulate new vitality.

**(8) Professional integrated performance, to create a safe ground.**

With professional product performance to provide ideal ground solutions for different application places, create a safe ground environment.

### Why Choose Us?

---

(1) **Extensive production experience:** we specialize in indoor& outdoor flooring solutions for over 10 years.

(2) **Stable quality and on-time delivery:** With our factory, we can control the quality from raw material to each production process.

What's more, we have some stock on the popular items, which means we can meet your urgent need and can ensure the delivery time.

(3) **Superior production equipment:** we own precision machine controlled by computer system and other advanced equipment. Our technicians will do regular scheduled maintenance on these machines to ensure them work well.

(4) **Customized:** The color, length and thickness can all be customized according to the demand of customers.

(5) **High-quality raw material**

(6) **Great after-sales service**



- (7) **Many product certificates**
- (8) **Easy to install and Short delivery time**
- (9) **Installation Support and Professional Consultant Teams**

## FAQ

---

**Q1: What is your payment method?**

We generally accept T/T and L/C. After receiving the deposit, our factory will commence production or prepare the goods. The remaining balance should be paid before shipment or upon presentation of the B/L.

**Q2: What are your delivery methods?**

EXW, FCA, FOB, CFR, CIF, DAP, etc.

**Q3: What is your production time?**

It usually takes about 7 to 15 days after receiving the advance payment. The specific delivery time depends on your order and quantity.

**Q4: Can you provide samples?**

Yes, we can provide complimentary samples for customer reference.

**Q5: Can you provide a customized service?**

Yes, we could customize the mats according to our customers, e.g. dimensions, thickness, colors, hardness, heat transfer printings, and patterns.



**CHANGZHOU TAIHUI SPORTS MATERIAL CO.,LTD**



13915088459



grace@taihuisports.com



shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower,Wujin District, China.