

## 2.0mm Antimicrobial Vinyl PVC Flooring / Indoor Vinyl Roll Flooring Hospital-Grade and Ballet Flooring

#### **Basic Information**

• Minimum Order Quantity: 500sqm

Price: by negotiation
Packaging Details: packed in rolls
Delivery Time: 7-15 days

• Payment Terms: L/C,T/T

• Supply Ability: 1,000,000sqm per year




#### **Product Specification**



### More Images








# 2.0mm Antimicrobial Vinyl PVC Flooring / Indoor Vinyl Roll Flooring Hospital-Grade and Ballet Flooring

#### **Product Description**

Sports	Ballet	Туре	PVC Flooring
Application	Indoor Sports Court Flooring	Features	Eco-friendly, slip-resistant surface
Thickness	2mm	Hardness	9-13 psi, 5-8 psi, 0-4 psi
Tensile Strength	70 psi, 50 psi, 75 psi	Country of Origin	China
Brand	TAIHUI	Туре	PVC Flooring
Roll Dimensions	2.0mm * 1.8m * 15m	Color	Red, green, yellow, blue, multicolor, or custom
Features	Environmentally friendly, flame retardant, strong sound insulation, self-cleaning, slip-resistant, antibacterial	Application	Commercial, hospitals, shopping malls, airports, schools, ballet studios
Certification	CE/ISO9001-2008/ISO4001	Stability	Form-stable PVC vinyl flooring for hospitals



#### **Product Features:**


Excellent wear resistance, self-cleaning properties, and environmental friendliness.


- Fire-resistant and noise-reducing.
- Superior impact resistance, anti-slip properties, and shock absorption, effectively ensuring athlete safety.
- Inhibits mold growth, maintains dimensional stability, resists cracking, and exhibits low swelling rate.
- Soft and comfortable with high resilience, effectively absorbing impact forces.

#### **Product Advantages:**


- Classically crafted flooring specifically engineered for badminton courts.
- Surface pattern professionally designed for badminton courts, delivering exceptional wear resistance and slip prevention.
- Non-woven fiber stabilizing layer and grid stabilizing layer, combined with dual-sided strength layers, ensure dimensional stability of the flooring.

#### **Product Image**





#### **Related Products**



#### Q&A

- 2. What are the advantages of your product? It is lighter, resulting in lower shipping costs. It offers environmental friendliness, excellent elasticity and shock resistance, slip resistance, waterproofing, noise reduction, a wider variety of patterns, and easy installation.
- 3. Is your product 100% PVC? Yes, it is made from 100% virgin PVC raw material.
- 4. What thicknesses can you produce? Thicknesses range from 2mm to 12mm. Our production process involves 6 coats of coating and 6 drying cycles, achieving up to 12mm thickness. Our production line spans 280m, the longest in the world.
- 5. Do you provide samples? Yes, A4-sized samples are available free of charge.
- 6. Do you accept ODM or OEM orders? Yes, we can manufacture goods according to customer specifications.
- 7. Is the product easy to install? Is it removable? It's very easy to install. Clean the floor, place the PVC flooring, secure it with tape, then apply the welding rod. It can also be moved again after use.
- 8. What is the minimum order quantity? The minimum order quantity for custom orders is 1000 square meters. However, for stock products, any quantity is acceptable.
- 9. What is the delivery time? Daily production capacity exceeds 50,000 square meters. Production typically takes 1-2 days, but queueing is required, resulting in a delivery time of approximately 15 days. For urgent orders, we can prioritize your request.
- 10. Do you provide marking lines? Yes, we can apply marking lines.

Building 3A-602, R&D Hub, Science&education Tower, Wujin District, China.