



Interlocking Shock Pad Underlay for Playground/Playing area/gym with 20mm 30mm 50mm Thickness

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: TAIHUI
- Certification: FIFA
- Model Number: T5205KGGK
- Minimum Order Quantity: 500pieces
- Price: as our negotiation
- Delivery Time: 10-12days
- Payment Terms: L/C,T/T
- Supply Ability: 300,000sqms per month



Product Specification

- Uva: 5000H
- Noise Reduction: Yes
- Thermalinsulation: Good
- Easy To Use: Yes
- Drainage Holes: Yes
- Country Of Origin: China
- Sports: Multi-purpose And All Sports
- Chemical Resistance: Excellent
- Installation: Labor Cost Saving
- Drainage Design: Water Drainage By Drainage Holes
- Type: Underlay
- Bulk Density: 0.30-0.50g/cm³
- Compatible With: Playground



for more products please visit us on shockpadunderlay.com

Product Description


1. Product Description

Product Name	Playground Interlocking Shock Pad
Thickness	20mm 25mm 30mm 35mm 50mm
Density	30kg/m3 50kg/m3 70kg/m3
Size	standard size: L 2.00m* W 1.02m; <i>effective size: L 1.96m *W0.98m</i>
Container-loading	based on specific thickness and style
Application	playground; gym; playing area; school
Color	green/blue/red/white

Our interlocking shock pad is especially designed for children to protect them from danger, which also is based on EN1177. We have professional HIC testing machine, so we can design thickness and density based on HIC you want to get.



2. Project Show and Installation Guidance



Q&A

1. May I know the installation is difficult? can I do it by myself?

A: Yes, the installation can be finished by one person within one week

2. I want to 2.63m HIC value shock pad, may I know can I customize that?

A: yes, actually for 2.63m HIC value, our 50mm thickness can satisfy your need.



CHANGZHOU TAIHUI SPORTS MATERIAL CO.,LTD



13915088459



grace@taihuisports.com



shockpaderlay.com

Building 3A-602, R&D Hub, Science&education Tower, Wujin District, China.