

High Performance PP Interlocking Floor Tiles For Sports Courts Quick Delivery And Competitive Price

Our Product Introduction

for more products please visit us on shockpadunderlay.com

Basic Information

- Place of Origin: CHINA
- Brand Name: TAIHUI
- Minimum Order Quantity: 500sqms
- Price: By Negotiation
- Delivery Time: 10 days after received the deposit
- Payment Terms: L/C,T/T
- Supply Ability: 300,000sqms




Product Specification

- Material: Polypropylene (PP)
- Diameter: 300*300mm, 304.8*304.8mm, Etc.
- Indoor/Outdoor Use: Suitable For Both Indoor And Outdoor Sports Courts
- Function: Floor Covering Material
- Keyword: Interlocking Plastic Floor Tiles
- Weight: Lightweight
- Slip Resistance: Excellent
- Color: Green, Blue, red Or Others
- Life Span: 6-8 Years
- Design: Special Pattern Design
- Shape: Square
- Easy To Install: Yes
- Sound Insulation: High Sound Absorption



More Images



High-performance PP Interlocking Floor Tiles For Sports Courts

Product Specifications


Specification	Details
Product Material	Polypropylene (PP)
Product Dimension	300*300mm, 304.8*304.8mm; Customized
Thickness	13mm/16.5mm/14mm; Customized
Color	Grey; Red; Green; Yellow; etc.
Impact Absorption	≥8%
Vertical Deformation	≤3.0mm
Temperature Resistance	Yes
Odor Level	Grade 2
Anti-Slip Value (20) /BPN	80-110
Ball Rebound Rate	≥75%
Harmful Substance Content	Compliant
Chemical Performance	Satisfied
Service Life	8 years
Applications	Basketball, Tennis, Hockey, Futsal, Volleyball, Badminton, etc.

Product Display




Pattern 1

Spec: 300x300x13(mm)



Pattern 3

Spec : 304.8x304.8x16.5(mm)



Pattern 2

Spec: 304.8x304.8x14(mm)



Key Advantages

Environmentally Friendly Material: Made of polypropylene (PP) material, food-grade, odorless, with environmentally friendly organic color powder additives.

Excellent Weather Resistance: The product shows no obvious changes after high- and low-temperature tests from -50 to 80 . Its sports performance remains unchanged after 4000 hours of artificial accelerated aging test, ensuring that the product maintains excellent sports performance in all seasons and different climate conditions across the country.

Professional Large Contact Surface Anti-Slip Design: The floor surface adopts a professional, large contact surface anti-slip design, which helps protect people from slipping and injury during sports.

No Warping, No Displacement: The product's raw materials are upgraded and modified into superweather-resistant polymer materials, which have the performance of automatic compensation for thermal expansion and contraction.

Good Impact Absorption Performance, Protecting Athletes' Knees: Through the thickened and solidified bottom support structure, the flooring ensures a stable and non-deformable floor while providing a better sports feel. It has excellent impact absorption performance, effectively protecting various joints of athletes from injury.

Quick Installation: Simple construction, low requirements on the ground foundation, enabling rapid assembly, and ensuring the construction period.

Convenient Construction And Maintenance: Single-piece replacement for single-piece problems, reducing overall costs.



About Us

Changzhou Tahui Sports Material Co., Ltd., located in Changzhou City Wujin High-Tech Development Zone, is a high-tech enterprise dedicated to the R&D and sales of polymer materials. The company has a professional technical team and strong research and development capabilities, supported by collaborations with Sichuan University and Changzhou University Town, establishing strong school-enterprise cooperation relations.

We always adhere to the belief that product quality is the best solution. Now, more than ever, we prioritize innovation to provide customers with the highest-quality service.

With the rapid development of the sports industry in recent years, the artificial turf industry has also made significant progress. As quality requirements for products continue to rise, existing solutions no longer fully meet market demands. In response, environmentally friendly elastic infill granules and shock pads have emerged as advanced solutions.



Frequently Asked Questions

Are you a manufacturer?

Yes, we have been manufacturing and selling this product for over 10 years.

What payment terms do you accept?

TT (Telegraphic Transfer) is preferred, but L/C (Letter of Credit) is also acceptable.

Do you have your own forwarder?

Yes, we can arrange shipping for you through our logistics partners.

How long is your production time?

We offer quick delivery, with production time depending on order quantity.



CHANGZHOU TAIHUI SPORTS MATERIAL CO.,LTD



13915088459



grace@taihuisports.com



shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower,Wujin District, China.