



2mm/2.5mm/3mm Thickness Pickleball Flooring Full Roll Vinyl Sports Flooring

Our Product Introduction

for more products please visit us on shockpadunderlay.com

Basic Information

- Place of Origin: China
- Brand Name: TAIHUI
- Certification: CE/ISO14001/ISO9001/ SGS
- Minimum Order Quantity: 100 sqms
- Price: By negotiation
- Packaging Details: packed on pallet
- Delivery Time: 7 Days
- Payment Terms: T/T,L/C
- Supply Ability: 1000,000 sqms per year




Product Specification

- Material: PVC, Vinyl, Foam
- Thickness: 2mm/2.5mm/3mm
- Size: Can Be Customized
- Feature: Super Wear-resistant, Anti-fouling, Anti-slip, Waterproof
- Style: Can Be Customized
- Colour: Can Be Customized
- Structure: Laminated Layers
- Usage: Sport Courts; Pickleball/basketball/badminton/volleyball/gym Room
- Safe For Children: Yes
- Waterproof: Yes
- Installation: Easy And Convenient
- Core Advantages: Super Wear-resistant, Anti-fouling, Anti-slip
- Service Life: 8-10 Years



More Images



Product Description

2mm/2.5mm/3mm Thickness Pickleball Flooring Full Roll Vinyl Sports Flooring

Product Specifications

Name: Polyester Vinyl Prefabricated Pickleball Roll

Specifications: 1.8 m × 18 m

Thickness: 2.0 mm (indoor) / 3.0 mm (outdoor)


Applicable Court: Pickleball court

Dimensions: 18 m × 9 m (customizable)

Structure:

- Particle anti-slip improvement layer
- Polyester vinyl colour-adjusting layer
- High-density stabilising layer
- High-strength fibre reinforcement layer
- Dense bottom layer
- Anti-movement, movement-preventing bottom texture

Layout Diagram (dimensions):



Features of Our Pickleball Flooring:

Custom colours – any colour combinations available upon request; logos or special patterns can also be incorporated directly into the court.

Easy installation – each court can be made into 4-strip or 5-strip sets. Simply lay out the strips in order according to the design drawing. No professional installers are required.

Excellent floor adhesion – the material grips flat surfaces immediately after unrolling, providing outstanding ball bounce that closely matches the rebound of acrylic surfaces.

Anti-slip and stain-resistant – the court receives a special “crystal shield” treatment. The anti-slip property ensures quick and safe player movements, while the stain resistance allows easy cleaning to keep the court looking new for a long time.

Design Display



Professional Pickleball stadium completed



Why Choose Us?

High quality and reasonable price.

Installation guide and considerate service

Take care of the whole process from ordering, production, transport, installation, and after-sales service

Strict inspection of the production and ensuring the good quality of each batch

Frequently Asked Questions

Q1: What is your payment method?

We generally accept T/T and L/C. After receiving the deposit, our factory will commence production or prepare the goods. The remaining balance should be paid before shipment or upon presentation of the B/L.

Q2: What are your delivery methods?

EXW, FCA, FOB, CFR, CIF, DAP, etc.

Q3: What is your production time?

It usually takes about 7 to 15 days after receiving the advance payment. The specific delivery time depends on your order and quantity.

Q4: Can you provide samples?

Yes, we can provide complimentary samples for customer reference.

Q5: Can you provide a customized service?

Yes, we could customize the mats according to our customers, e.g. dimensions, thickness, colors, hardness, heat transfer printings, and patterns.



CHANGZHOU TAIHUI SPORTS MATERIAL CO.,LTD



13915088459



grace@taihuisports.com



shockpadunderlay.com

Building 3A-602, R&D Hub, Science&education Tower,Wujin District, China.